

UTILITY PATENT APPLICATION TRANSMITTAL

(New Nonprovisional Applications Under 37 CFR § 1.53(b))

Attorney Docket No. ATHEP128

TO THE COMMISSIONER FOR PATENTS-

-	TO THE COMMISSIONER FOR PATENTS:		
Š	Transmitted herewith is the patent application of () application identifier or (X) first named inventor, <u>Won-Joon Choi</u> , entitled <u>REPETITION CODING FOR A WIRELESS SYSTEM</u> , for a(n):		
	(X) Original Patent Application.		
	 () Continuing Application (prior application not abando () Continuation () Divisional. of prior Application No		
	() Please add after the title of the application "This is a () Continuation () Divisional		
	() This application claims the benefit of U.S. Provisional	l Application No filed	
	 () Associate Power of Attorney. () Preliminary Amendment. () A Duplicate Copy of this Form for Processing () A Certified Copy of Priority Documents (if for Statement(s)) of Status as a Small Entity 	n and Power of Attorney: ned. () Partially Signed. tinuation/Divisional (37 CFR § 1.63(d)). s) Named in the Prior Application. (37 CFR § 163(d)(2)). (X) Return Receipt Postcard. () A Check in the amount of \$ for the Filing Fee. () Information Disclosure Statement and Form PTO-1449	
	Respectfully submitted, By: Scott S. Kokka, Reg. No. 51,893 Date: September 17, 2003 Correspondence Address: Customer No. 21912 Van Pelt & Yi LLP 10050 N. Foothill Blvd. Suite 200 Cupertino, CA 95014 Telephone: 408-973-2585 Fax: 408-973-2595	I hereby certify that this is being deposited with the U.S. Postal Service "Express Mail Post Office to Addressee" service under 37 CFR § 1.10 on the date indicated below and is addressed to: Mail Stop Patent Application Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450 By: Typed Name: Pat Tate Express Mail Label No.: EV323816081US Date of Deposit: September 17, 2003	

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:)	Attorney Docket No.
CHOI, et al)	Examiner: Unassigned
Application No: Unassigned)	Art Unit: Unassigned
Filed: Herewith)	
Title: REPETITION CODING FOR A WIRELESS SYSTEM)))	

REQUEST AND CERTIFICATION UNDER 35 U.S.C. 122(b)(2)(B)(i)

Mail Stop Patent Application Commissioner for Patents P. O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

I hereby certify that the invention disclosed in the attached application has not and will not be the subject of an application filed in another country, or under a multilateral agreement, that requires publication at eighteen months after filing. I hereby request that the attached application not be published under 35 U.S.C. 122(b).

Respectfully submitted,

Scott S. Kokka Reg. No. 51,893

Van Pelt & Yi 10050 N. Foothill Blvd. Suite 200 Cupertino, CA 95014 Telephone: (408) 973-2585

Attorney Docket No.: ATHEP128

APPLICATION FOR UNITED STATES PATENT

REPETITION CODING FOR A WIRELESS SYSTEM

By Inventors:

Won-Joon Choi 529 Almanor Avenue Sunnyvale, CA 94085-3512 A citizen of Republic of Korea

Qinfang Sun
529 Almanor Avenue
Sunnyvale, CA 94085-3512
A citizen of China

Jeffrey M. Gilbert 529 Almanor Avenue Sunnyvale, CA 94085-3512 A citizen of the United States

Assignee: Atheros Communications, Inc.

VAN PELT & Yi LLP 10050 N. Foothill Blvd, Ste. 200 Cupertino, CA 95014 Telephone: 408-973-2595

REPETITION CODING FOR A WIRELESS SYSTEM

FIELD OF THE INVENTION

The present invention relates generally to a data transmission scheme for a wireless communication system. More specifically, a repetition coding scheme for a wireless system is disclosed.

BACKGROUND OF THE INVENTION

The IEEE 802.11a, 802.11b, and 802.11g standards, which are hereby incorporated by reference, specify wireless communications systems in bands at 2.4GHz and 5 GHz. The combination of the 802.11a and 802.11g standards, written as the 802.11a/g standard, will be referred to repeatedly herein for the purpose of example. It should be noted that the techniques described are also applicable to the 802.11b standard where appropriate. It would be useful if alternate systems could be developed for communication over an extended range or in noisy environments. Such communication is collectively referred to herein as extended range communication. The IEEE 802.11a/g standard specifies a robust data encoding scheme that includes error correction. However, for extended range communication, a more robust data transmission scheme at reduced data rates is required.

5

10

15

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will be readily understood by the following detailed description in conjunction with the accompanying drawings, wherein like reference numerals designate like structural elements, and in which:

Figure 1A is a diagram illustrating the data portion of a regular 802.11a/g OFDM packet.

Figure 1B is a diagram illustrating the data portion of a modified 802.11a/g OFDM packet where each symbol is repeated twice (r=2).

Figure 2A is a diagram illustrating a transmitter system with a repetition encoder placed after the output of an interleaver such as the one specified in the IEEE 802.11a/g specification.

Figure 2B is a diagram illustrating a receiver system for receiving a signal transmitted by the transmitter system depicted in Figure 2A.

Figure 3A is a diagram illustrating a transmitter system with a repetition encoder placed before the input of an interleaver designed to handle repetition coded bits such as the one described below

Figure 3B is a diagram illustrating a receiver system for receiving a signal transmitted by the transmitter system depicted in Figure 3A.

Figures 4A-4C are tables illustrating an interleaver.

10